Notice of Allowability	Application No.	Applicant(s)
	10/078,743	MENNIE, DOUGLAS U.
	Examiner	Art Unit
	Kenneth W Bower	3653
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Amendment entered 07/23/2004</u> .		
2. The allowed claim(s) is/are <u>29-40,47-61 and 68-158</u> .		
3. The drawings filed on 19 February 2002 are accepted by the Examiner.		
<ul> <li>4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
<ul> <li>6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> </ul>		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
<ul> <li>Attachment(s)</li> <li>1. ☑ Notice of References Cited (PTO-892)</li> <li>2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 07/26/2004</li> <li>4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ul>	6. ☐ Interview Summary Paper No./Mail Dat 98), 7. ☐ Examiner's Amenda	e

Art Unit: 3653

## **DETAILED ACTION**

## Election/Restrictions

1. Restriction was not needed to complete the search per the search text.

Therefore restriction is withdrawn and the claims are rejoined.

## Conclusion

2. Direct any inquiry concerning this or earlier communications from the examiner to Kenneth W. Bower at ken.bower@uspto.gov or (703) 306-4546. Call the examiner immediately prior to sending an unofficial fax to (703) 308-0552 or (703) 308-2571 if fax is busy. The examiner is normally available from 7:00 AM to 3:00 PM Eastern Time on Monday through Thursday and on every second Friday. The official central facsimile number for all groups is (703) 872-9306. Status or general information queries should be directed to the Group Receptionist at (703) 308-1113. If necessary, the Group Receptionist can assist with contacting the examiner's supervisor.

Kenneth W. Bower

Patent Examiner Art Unit 2653

Kwb

10/17/2004

DONALD RUNSU:
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3600